

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Fig. 1







Fig. 2

Fig. 3


Detailed Setting Information
詳細設定情報



{図4}

Fig. 4

400: プライベートコントロール装置



4/8





Fig. 6



S1 receive identification ID

S2 search detailed setting information

S3 extract the concerned detailed setting information

S4 set respective parameters

S5 decide an authorization parameter


S6 decide functions assigned to respective operation knobs, etc.

S7 transmit function assigning information

400': ~~サラバートコントロール装置~~


430

432: ~~ON/OFF SELボタン~~



431: ~~フェーダつまみ~~

Fig. 7






Fig. 9